

Research Article

New Names and New Combinations of the Genera of *Bambusa*, *Dinochloa* and *Guadua* (Bambusaceae)

Da-Li Fu^{1, 2,*} 

¹Research Institute of Non-Timber Forestry, Chinese Academy of Forestry, Zhengzhou, China

²Key Laboratory of Non-Timber Forest Germplasm Enhancement & Utilization of National Forestry and Grassland Administration, Zhengzhou, China

Abstract

The subfamily Bambusoideae Luerss., belonging to the family Bambusaceae Burnett, is intricately intertwined with human production and daily life, exerting a profound influence on culture as well. The distinctive characteristics of the subfamily, such as culm, rhizome, branch, and culm sheath, have traditionally been employed in taxonomic classification, which requires further research to validate from a scientific perspective. Using the minimum criterion PHS (phylogenetic similarity) ≤ 0.928 (inter genera) for genus classification by CPCG (chloroplast complete genomes) of Fructophyta D.L.Fu & H.Fu, total 22 synonyms of three genera of *Bambusa* Schreb., *Dinochloa* Böse and *Guadua* Kunth within the subfamily, have been identified, 15 current synonyms of the genus *Bambusa* Schreb. including *Bonia* Balansa, *Dendrocalamus* Nees, *Gigantochloa* Kurz ex Munro, *Holttumochloa* K.M.Wong, *Kinabaluchloa* K.M.Wong, *Maclurochloa* K.M.Wong, *Melocalamus* Benth., *Neomicrocalamus* Keng f., *Oreobambos* K.Schum., *Oxytenanthera* Munro, *Phuphanochloa* Sungkaew & Teerawat., *Soejatmia* K.M.Wong, *Temochloa* S.Dransf., *Thrysostachys* Gamble and *Vietnamosasa* T.Q.Nguyen, 3 current synonyms of the genus *Dinochloa* Böse being *Cyrtochloa* S.Dransf., *Neololeba* Widjaja and *Sphaerobambos* S.Dransf., and 4 current synonyms of the genus *Guadua* Kunth being *Apoclada* McClure, *Eremocaulon* Soderstr. & Londoño, *Olmeca* Soderstr. and *Otatea* (McClure & E.W.Sm.) C.E.Calderón & Soderstr.. Additionally, 27 new specific names such as *Bambusa bifloscula* D.L.Fu and *Dinochloa hirta* D.L.Fu, along with 184 new specific combinations like *Bambusa achmadii* (Widjaja) D.L.Fu, *Dinochloa acutiflora* (Munro) D.L.Fu and *Guadua acuminata* (Munro) D.L.Fu have been scientifically and validly published. These publications will scientifically address the taxonomic nomenclature confusion and establish a robust foundation for the research of evolutionary system within the family Bambusaceae Burnett.

Keywords

Bambusa, *Dinochloa*, *Guadua*, New Combination, CPCG (Chloroplast Complete Genome), Genus Minimum Criterion

1. Introduction

Bamboo plants, the subfamily Bambusoideae Luerss. (1893) of the family Bambusaceae Burnett (1835), are closely intertwined with human production and daily life, exerting a profound influence on culture as well [1]. Howev-

*Corresponding author: Fu_dali@163.com (Da-Li Fu)

Received: 8 April 2024; Accepted: 27 April 2024; Published: 17 May 2024



Copyright: © The Author(s), 2024. Published by Science Publishing Group. This is an **Open Access** article, distributed under the terms of the Creative Commons Attribution 4.0 License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution and reproduction in any medium, provided the original work is properly cited.

er, due to the unpredictable flowering period and substantial variation in flowering patterns, classifying this subfamily poses greater challenges [1-8]. Therefore, the distinctive characteristics of the subfamily, such as culm, rhizome, branch, and culm sheath, have traditionally been employed in taxonomic classification [2-4, 9-17]. From a scientific perspective, the validation of this classification requires further research. It is evident that relying solely on these features may potentially result in the taxonomic confusion [1].

The modern phylogeny is based on Darwin's theory of evolution, which includes the concepts of the 'tree of life,' 'common ancestor,' and 'germogenesis' [1, 21-25]. However, due to its subjective and partial nature, this system fails to scientifically demonstrate the evolutionary relationships among different organisms [21-25], even leading to more taxonomic confusions [1].

To overcome these shortcomings, the new science evolutionomy has been developed with the publications of the evolutionary continuity principle, the evolutionary particularity principle, the theoretical monograph as *the Theory and Practice of Evolutionomy* [23-25] and the minimum criterion PHS \leq 0.928 (inter genera, CPCG) for the genus classifying of Fructophyta D.L.Fu & H.Fu [1]. Using the minimum criterion, the synonyms of *Phyllostachys* Sieb. & Zucc. within the subfamily Bambusoideae had been scientifically identified and the taxonomic confusion within the subfamily also had been scientifically resolved in a certain extent [1].

In order to continue resolve the taxonomic confusion within the subfamily, some relevant CPCG sequences of three genera, *Bambusa* Schreb., *Dinochloa* Büse, and *Guadua* Kunth, from the NCBI (National Center for Biotechnology Information, USA) database have been downloaded, an evolutionary analysis on these sequences has been conducted, and the outcome is outlined below.

Table 1. PHS of CPCG between *Bambusa emeiensis* and some representative species of Bambusoideae.

No.	Scientific Names and Numbers of CPCG in NCBI	Current Names	PHL/17bp	PHS
1	<i>Bambusa emeiensis</i> _NC015830.1	<i>Bambusa emeiensis</i>	117158	1
2	<i>Bambusa verticillata</i> _NC050779.1	<i>Gigantochloa verticillata</i>	113262	0.967
3	<i>Bambusa oliveri</i> _NC068070.1	<i>Thyrsochloa oliveri</i>	113168	0.966
4	<i>Bambusa compactiflora</i> _MK679793.1	<i>Melocalamus compactiflorus</i>	113132	0.966
5	<i>Bambusa stricta</i> _NC050776.1	<i>Dendrocalamus strictus</i>	112572	0.961
6	<i>Bambusa</i> sp._OQ791222.1	<i>Temochloa</i> sp.	110765	0.945
7	<i>Bambusa prainii</i> _NC050769.1	<i>Neomicrocalamus prainii</i>	109927	0.938
8	<i>Bambusa saxatilis</i> _NC050756.1	<i>Bonia saxatilis</i>	109444	0.934
9	<i>Dinochloa atra</i> _NC026964.1	<i>Neololeba atra</i>	107829	0.920
10	<i>Hitchcockella baronii</i> _NC044487.1	<i>Hitchcockella baronii</i>	104572	0.893
11	<i>Schizostachyum auriculatum</i> _NC068071.1	<i>Schizostachyum auriculatum</i>	104512	0.892

2. Materials and Methods

2.1. CPCG of Bambusaceae

Total 17 CPCG of representative species of Bambusoideae were selected from the NCBI database. Their current names and scientific names and numbers of CPCG in NCBI are listed in Table 1 and Table 2.

2.2. Evolutionary Analyses of CPCG

The evolutionary analyses of CPCG mainly use the typical algorithm [1, 25-27] to determine the relative evolutionary relationships between different taxa by comparing the phylogenetic similarity (PHS) between the designated type and target taxa. The formula is as follows:

$$PHS = \frac{SPHL}{APHL}$$

PHS = phylogenetic similarity between the type and objective taxon; SPHL = the number of same phylogenetic loci between the type and objective taxon; APHL = the number of all phylogenetic loci of the type; statistics of phylogenetic loci using Nucleotide Barcodes (17bp).

3. Results

3.1. Synonyms of Genus *Bambusa*

The PHS of CPCG of 11 species of Bambusoideae were analyzed using the type *Bambusa emeiensis* L.C.Chia & H.L.Fung and the results are shown in Table 1.

From **Table 1**, it is evident that using the type of *Bambusa emeiensis*, there are 7 current synonyms of the genus *Bambusa* Schreb., including *Gigantochloa* Kurz ex Munro, *Thrysostachys* Gamble, *Melocalamus* Benth., G.Bentham & J.D.Hooker, *Dendrocalamus* Nees, *Temochloa* S.Dransf., *Neomicrocalamus* Keng f., and *Bonia* Balansa, owing to their evolutionary relationships with the type all surpassing a threshold value of 0.934, not meeting the minimum criterion PHS(17bp) ≤ 0.928 (inter genera) for genus evolution.

Based on **Table 1**, combined with the results of relevant phylogenetic analysis [9], it can also be confirmed that two genera of *Oreobambos* K.Schum and *Oxytenanthera* Munro, native to Africa, and the other two genera of *Vietnamosasa* Nguyen and *Phuphanochloa* Sungkaew & Teerawat. native to Asia, they all are synonyms of the genus *Bambusa* Schreb.. Similarly, based on **Table 1** and combined with relevant phylogenetic studies [18-20], the four genera established in 1993 [12], *Holttumochloa* K.M.Wong, *Kinabaluchloa* K.M.Wong, *Maclurochloa* K.M.Wong and *Soejatmia* K.M.Wong, all are also the synonyms of the genus *Bambusa* Schreb.. Therefore, it is scientific to combine the genus *Bambusa* Schreb. as follows.

Bambusa Schreb., Gen. Pl., ed. 8 [a]. 1: 236. 1789), nom. cons. Type: *Bambusa arundinacea* (Retz.) Willd. — *Bonia* Balansa, J. Bot. (Morot) 9: 29. 1890. Type: *Bambusa tonkinensis* (Balansa) Baill. — *Dendrocalamus* Nees, Linnaea 9: 476. 1835. Type: *Bambusa stricta* (Roxb.) Roxb. — *Gigantochloa* Kurz ex Munro, Trans. Linn. Soc. London 26: 123. 1868. Type: *Bambusa atter* Kurz. — *Holttumochloa* K.M.Wong, Kew Bull. 48(3): 518. 1993. Type: *Bambusa korbuensis* (K.M.Wong) D.L.Fu. — *Kinabaluchloa* K.M.Wong, Kew Bull. 48(3): 523. 1993. Type: *Bambusa wrayi* Stapf. — *Maclurochloa* K.M.Wong, Kew Bull. 48(3): 528. 1993. Type: *Bambusa montana* (Ridl.) Holttum. — *Melocalamus* Benth., G.Bentham & J.D.Hooker, Gen. Pl. 3: 1095. 1883. Type: *Bambusa compactiflora* (Kurz) D.L.Fu. — *Neomicrocalamus* Keng f., J. Bamboo Res. 2(2): 10. 1983. Type: *Bambusa prainii* (Gamble) D.L.Fu. — *Oreobambos* K.Schum., Notizbl. Königl. Bot. Gart. Berlin 1: 178. 1896. Type: *Bambusa buchwaldii* (K.Schum.) D.L.Fu. — *Oxytenanthera* Munro, Trans. Linn. Soc. London 26: 126. 1868 Type: *Bambusa abyssinica* A.Rich. — *Phuphanochloa* Sungkaew & Teerawat., Kew Bull. 63(4): 669 (-671). 2009. Type: *Bambusa speciosa* (Sungkaew & Teerawat.) D.L.Fu. — *Soejatmia* K.M.Wong, Kew Bull. 48(3): 530. 1993. Type: *Bambusa ridleyi* Gamble. — *Temochloa* S.Dransf., Thai Forest Bull., Bot. 28: 179. 2000. Type: *Bambusa liliana* (S.Dransf.) D.L.Fu. — *Thrysostachys* Gamble, Indian Forester 20: 1. 1896. Type: *Bambusa oliveri* (Gamble) D.L.Fu. — *Vietnamosasa* T.Q.Nguyen, Bot. Zhurn. (Moscow & Lenigrad) 75(2): 221. 1990. Type: *Bambusa darlacensis* (T.Q.Nguyen) D.L.Fu.

About 336 species in Asian, America and Africa, including 23 new specific names and 149 new specific combinations.

3.2. Synonyms of Genus *Dinochloa*

The genus *Dinochloa* Böse had been characterized by its climbing habit, solid culms, very small one-flowered spikelets and relatively large fruit [14]. Zhou et al. [18] have analyzed the related taxa of this genus shown in **Figure 1**.



Figure 1. Phylogenetic relationships of genus *Dinochloa* and affinities from Zhou et al. (part) [18].

Figure 1 illustrates the disorderliness of *Dinochloa* and its three closely related genera. This confusion arises from two main factors: experimental errors, such as misidentification during sampling, inappropriate selection of DNA fragments, sequencing errors, or analytical mistakes; and taxonomic errors, including the admixture within the genus *Dinochloa* or the incorrect classification of the other three genera as synonyms of *Dinochloa*. Based on **Table 1** and **Figure 1**, it can be conclusively determined that *Cyrtochloa* S.Dransf., *Neololeba* Widjaja and *Sphaerobambos* S.Dransf., are synonyms of *Dinochloa* Böse. Therefore, the latest combination of the genus *Dinochloa* is as follows.

Dinochloa Böse, Pl. Jungh. [Miquel] 3: 387. 1854. Type: *Dinochloa scandens* (Nees) Kuntze. — *Cyrtochloa* S.Dransf., Kew Bull. 53(4): 861. 1998. Type: *Dinochloa toppingii* (Gamble) D.L.Fu. — *Neololeba* Widjaja, Reinwardtia 11(2): 112. 1997. Type: *Dinochloa amahussana* (Lindl.) D.L.Fu. — *Sphaerobambos* S.Dransf., Kew Bull. 44(3): 428. 1989. Type: *Dinochloa hirta* D.L.Fu.

About 62 species, in Asia & Oceania, including 4 new specific names and 12 new specific combinations.

3.3. Synonyms of Genus *Guadua*

The PHS of CPCG of 6 species of Bambusaceae were analyzed using the type *Guadua angustifolia* Kunth and the results are shown in **Table 2**.

Table 2. PHS of CPCG between *Guadua angustifolia* and some representative species of Bambusoideae.

No.	Scientific Names and Numbers of CPCG in NCBI	Current Names	PHL/17bp	PHS
1	<i>Guadua angustifolia</i> _NC029749.1	<i>Guadua angustifolia</i>	115140	1
2	<i>Guadua acuminata</i> _NC026971.1	<i>Otatea acuminata</i>	108442	0.942
3	<i>Guadua reflexa</i> _NC026965.1	<i>Olmeca reflexa</i>	107524	0.934
4	<i>Merostachys</i> sp._KT373815.1	<i>Merostachys</i> sp.	100698	0.875
5	<i>Rhipidocladum pittieri</i> _NC036700.1	<i>Rhipidocladum pittieri</i>	100642	0.874
6	<i>Bambusa emeiensis</i> _NC015830.1	<i>Bambusa emeiensis</i>	98749	0.858

The analysis presented in **Table 2** reveals that using the type of *Guadua angustifolia*, *Otatea* (McClure & E.W.Sm.) C.E.Calderón & Soderstr. and *Olmeca* Soderstr. both are the synonyms of the genus *Guadua*, owing to their evolutionary relationships with the type not meeting the minimum criterion PHS(17bp) \leqslant 0.928 (inter genera) for genus evolution of fruit plants.

Based on **Table 2**, combined with the results of relevant phylogenetic analysis [28-30], it can be conclusively determined that *Apoelada* McClure and *Eremocaulon* Soderstr. & Londoño, both are also the synonyms of the genus *Guadua* Kunth. Consequently, it is scientific to combine the genus *Guadua* Kunth as follows.

Guadua Kunth, J. Phys. Chim. Hist. Nat. Arts 95: 150. 1822. Type: *Guadua angustifolia* Kunth. — *Apoelada* McClure, Fl. Ilustr. Catarin. I, fasc. Gram-Supl.: 57. 1967. Type: *Guadua simplex* (McClure & L.B.Sm) D.L.Fu. — *Eremocaulon* Soderstr. & Londoño, Amer. J. Bot. 74(1): 37. 1987. Type: *Guadua aureofimbriata* (Soderstr. & Londoño) D.L.Fu. — *Olmeca* Soderstr., Phytologia 51(2): 161. 1982. Type: *Guadua reflexa* (Soderstr.) D.L.Fu. — *Otatea* (McClure & E.W.Sm.) C.E.Calderón & Soderstr., Smithsonian Contr. Bot. 44: 21. 1980. Type: *Guadua acuminata* (Munro) D.L.Fu.

About 57 species in America, including 23 new specific combinations.

4. New Taxa of Bambusoideae

Bambusa achmadii (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa achmadii* Widjaja, Reinwardtia 10(3): 373. 1987.

Bambusa albociliata (Munro) D.L.Fu, sp. transl. nov. *Oxytenanthera albociliata* Munro in Trans. Linn. Soc. London 26: 129. 1868.

Bambusa albopilosa (K.M.Wong) D.L.Fu, sp. transl. nov. *Gigantochloa albopilosa* K.M.Wong, Bamboos Penins. Malaysia (Malayan Forest Rec., 41) 124. 1995.

Bambusa albovestita (Holtum) D.L.Fu, sp. comb. nov. *Gigantochloa scortechinii* var. *albovestita* Holtum in Gard. Bull. Singapore 16: 124. 1958; *Gigantochloa albovestita*

(Holtum) K.M.Wong, Malayan Forest Rec. 41: 125. 1995.

Bambusa arcuta (N.H.Xia et al.) D.L.Fu, sp. transl. nov. *Gigantochloa arcuta* N.H.Xia, Y.Zeng & R.S.Lin in Y.Zeng, Taxon. Stud. Gigantochloa China 27. 2014.

Bambusa arrecta (T.P.Yi) D.L.Fu, sp. transl. nov. *Melocalamus arrectus* T.P.Yi, Acta Bot. Yunnan. 10(4): 440. 1988.

Bambusa atroviolacea (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa atroviolacea* Widjaja, Reinwardtia 10(3): 323. 1987.

Bambusa atroviridis (D.Z.Li & H.Q.Yang) D.L.Fu, sp. transl. nov. *Dendrocalamus atroviridis* D.Z.Li & H.Q.Yang, Phytotaxa 243(2): 171. 2016.

Bambusa austroyunnanensis (N.H.Xia & Y.Zeng) D.L.Fu, sp. transl. nov. *Gigantochloa austroyunnanensis* N.H.Xia & Y.Zeng in Y.Zeng, Taxon. Stud. Gigantochloa China 29. 2014.

Bambusa aya (Widjaja & Astuti) D.L.Fu, sp. transl. nov. *Gigantochloa aya* Widjaja & Astuti, Reinwardtia 12(2): 201 (-202). 2004.

Bambusa baliana (Widjaja & Astuti) D.L.Fu, sp. transl. nov. *Gigantochloa baliana* Widjaja & Astuti, Reinwardtia 12(2): 202 (-203). 2004.

Bambusa balui (K.M.Wong) D.L.Fu, sp. transl. nov. *Gigantochloa balui* K.M.Wong, Forest. Dept. Occas. Pap., Brunei 1: 2. 1990.

Bambusa bambusoides (Hsueh f. & D.Z.Li) D.L.Fu, sp. transl. nov. *Dendrocalamus bambusoides* Hsueh f. & D.Z.Li, J. Bamboo Res. 6(2): 16. 1987.

Bambusa bastareana (H.B.Naithani & R.C.Pal) D.L.Fu, sp. transl. nov. *Gigantochloa bastareana* H.B.Naithani & R.C.Pal, Indian Forester 136(9): 1276 (-1277), 2010.

Bambusa bengkalisensis (Widjaja) D.L.Fu, sp. transl. nov. *Dendrocalamus bengkalisensis* Widjaja, Reinwardtia 11(2): 69. 1997.

Bambusa bicicatricata (W.T.Lin) D.L.Fu, sp. transl. nov. *Sinocalamus bicicatricatus* W.T.Lin, Acta Phytotax. Sin. 16(1): 68. 1978; *Bambusa bicicatricata* (W.T.Lin) L.C.Chi & H.L.Fung, Acta Phytotax. Sin. 18(2): 214. 1980), nom. inval..

Bambusa bifloscula D.L.Fu, sp. nom. nov. *Dendrocalamus*

- barbatus* Hsueh & D.Z.Li, J. Bamboo Res. 7(4): 4. 1988), non *Bambusa barbata* Trin.
- Bambusa birmanica* (A.Camus) D.L.Fu, sp. transl. nov. *Dendrocalamus birmanicus* A.Camus, Bull. Mus. Natl. Hist. Nat., sér. 2, 4: 1044. 1932.
- Bambusa blaoensis* (H.N.Nguyen & V.T.Tran) D.L.Fu, sp. transl. nov. *Melocalamus blaoensis* H.N.Nguyen & V.T.Tran, Blumea 55(2): 131 (figure 1). 2010.
- Bambusa brachystachya* (N.H.Xia & Y.Zeng) D.L.Fu, sp. transl. nov. *Gigantochloa brachystachya* N.H.Xia & Y.Zeng in Y.Zeng, Taxon. Stud. Gigantochloa China 30. 2014.
- Bambusa buar* (Widjaja) D.L.Fu, sp. transl. nov. *Dendrocalamus buar* Widjaja, Reinwardtia 11(2): 70. 1997.
- Bambusa buchwaldii* (K.Schum.) D.L.Fu, sp. transl. nov. *Oreobambos buchwaldii* K.Schum., Notizbl. Königl. Bot. Gart. Berlin 1: 178. 1896.
- Bambusa calcicola* (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa calcicola* Widjaja, Reinwardtia 11(2): 84. 1997.
- Bambusa callosa* (N.H.Xia et al.) D.L.Fu, sp. transl. nov. *Gigantochloa callosa* N.H.Xia, Y.Zeng & R.S.Lin, Pl. Diversity Resources 36(5): 581. 2014.
- Bambusa cangyuaneensis* D.L.Fu, sp. nom. nov. *Dendrocalamus tomentosus* Hsueh & D.Z.Li, J. Bamboo Res. 8(1): 34. 1989, non *Bambusa tomentosa* (Hack. & Lindm.) McClure.
- Bambusa cauhaiensis* (N.H.Xia & V.T.Nguyen) D.L.Fu, sp. transl. nov. *Dendrocalamus cauhaiensis* N.H.Xia & V.T.Nguyen, Blumea 57(3): 256. 2013.
- Bambusa ciliata* (A.Camus) D.L.Fu, sp. transl. nov. *Arundinaria ciliata* A.Camus in Bull. Mus. Natl. Hist. Nat. 25: 672. 1919.
- Bambusa cincta* (Soderstr. & R.P.Ellis) D.L.Fu, sp. transl. nov. *Dendrocalamus cinctus* R.B.Majumdar ex Soderstr. & R.P.Ellis, Smithsonian Contr. Bot. 72: 45. 1988.
- Bambusa cochinchinensis* (A.Camus) D.L.Fu, sp. transl. nov. *Gigantochloa cochinchinensis* A.Camus, Bull. Mus. Natl. Hist. Nat. 26: 567. 1920.
- Bambusa collettiana* (Gamble) D.L.Fu, sp. transl. nov. *Dendrocalamus collettianus* Gamble, Ann. Roy. Bot. Gard. (Calcutta) 7: 93. 1896.
- Bambusa compactiflora* (Kurz) D.L.Fu, sp. transl. nov. *Pseudostachyum compactiflorum* Kurz in J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 42: 252. 1873. — *Melocalamus compactiflorus* (Kurz) Benth., in Bentham & Hooker f., Gen. Pl. 3(2): 1212. 1883.
- Bambusa compressa* (R.Parker) D.L.Fu, sp. transl. nov. *Gigantochloa compressa* R.Parker, Indian Forester 54: 98. 1928.
- Bambusa concaviapicula* (N.H.Xia & V.T.Nguyen) D.L.Fu, sp. transl. nov. *Dendrocalamus concaviapiculus* N.H.Xia & V.T.Nguyen, Adansonia 35(1): 56. 2013.
- Bambusa concinna* D.L.Fu, sp. nom. nov. *Schizostachyum elegans* Ridl., J. Straits Branch Roy. Asiat. Soc. 73: 146. 1916, non *Bambusa elegans* Ridl.
- Bambusa cordata* (T.H.Wen & Dai) D.L.Fu, sp. transl. nov. *Neohouzeaua cordata* T.H.Wen & Q.H.Dai in J. Bamboo Res. 10(1): 12. 1991.
- Bambusa cucphuongensis* (H.N.Nguyen & V.T.Tran) D.L.Fu, sp. transl. nov. *Melocalamus cucphuongensis* H.N.Nguyen & V.T.Tran, Blumea 55(2): 131 (-135). 2010.
- Bambusa darlacensis* (T.Q.Nguyen) D.L.Fu, sp. transl. nov. *Vietnamosasa darlacensis* T.Q.Nguyen, Bot. Zhurn. (Moscow & Leningrad) 75(2): 221. 1990.
- Bambusa densa* (E.G.Camus) D.L.Fu, sp. comb. nov. *Oxytenanthera thwaitesii* var. *densa* E.G.Camus in Bambus ées: 147. 1913; *Oxytenanthera densa* (E.G.Camus) E.G.Camus, Bull. Mus. Natl. Hist. Nat. 28: 444. 1922.
- Bambusa detinens* (R.Parker) D.L.Fu, sp. transl. nov. *Klemachloa detinens* R.Parker in Indian Forester 58: 7. 1932.
- Bambusa dienbienensis* (H.N.Nguyen & V.T.Nguyen) D.L.Fu, sp. transl. nov. *Dendrocalamus dienbienensis* H.N.Nguyen & V.T.Nguyen, Phytotaxa 327(3): 291. 2017.
- Bambusa dinhensis* (A.Camus) D.L.Fu, sp. transl. nov. *Oxytenanthera dinhensis* A.Camus in H.Lecomte, Fl. Indo-Chine 7: 620. 1923.
- Bambusa distegia* (Keng & Keng f.) D.L.Fu, sp. transl. nov. *Sinocalamus distegius* Keng & Keng f. in J. Washington Acad. Sci. 36: 76. 1946; *Bambusa distegia* (Keng & Keng f.) L.C.Chia & H.L.Fung, Acta Phytotax. Sin. 18: 213. 1980, nom. inval..
- Bambusa dongvanensis* (T.Q.Nguyen) D.L.Fu, sp. transl. nov. *Neomicocalamus dongvanensis* T.Q.Nguyen, Bot. Zhurn. (Moscow & Leningrad) 76(6): 877. 1991.
- Bambusa dumosa* (Ridl.) D.L.Fu, sp. transl. nov. *Schizostachyum dumosum* Ridl. in J. Straits Branch Roy. Asiat. Soc. 61: 64. 1912)
- Bambusa elevatissima* (Hsueh f. & T.P.Yi) D.L.Fu, sp. transl. nov. *Melocalamus elevatissimus* Hsueh & T.P.Yi, J. Bamboo Res. 2(1): 28. 1983.
- Bambusa exaurita* (W.T.Lin) D.L.Fu, sp. transl. nov. *Drepanostachyum exauritum* W.T.Lin in J. Bamboo Res. 11(2): 30. 1992.
- Bambusa farinosa* (Keng & Keng f.) D.L.Fu, sp. transl. nov. *Sinocalamus farinosus* Keng & Keng f. in J. Washington Acad. Sci. 36: 79. 1946.
- Bambusa felix* (Keng) D.L.Fu, sp. transl. nov. *Oxytenanthera felix* Keng in J. Washington Acad. Sci. 30: 425. 1940.
- Bambusa fugongensis* (Hsueh & D.Z.Li) D.L.Fu, sp. transl. nov. *Dendrocalamus fugongensis* Hsueh & D.Z.Li, J. Bamboo Res. 7(4): 9. 1988.
- Bambusa gambleana* D.L.Fu, sp. nom. nov. *Gigantochloa wrayi* Gamble, Ann. Roy. Bot. Gard. (Calcutta) 7: 64. 1896, non *Bambusa wrayi* Stapf.
- Bambusa gangasinghiana* (H.B.Naithani et al.) D.L.Fu, sp. transl. nov. *Gigantochloa gangasinghiana* H.B.Naithani, Anup Chandra, R.K.Negi & Ginwal, Indian J. Forest. 44(1): 12. 2021.
- Bambusa glabrata* (D.Z.Li & Z.C.Xu) D.L.Fu, sp. transl. nov. *Gigantochloa glabrata* N.H.Xia & Y.Zeng ex D.Z.Li &

- Z.C.Xu, PhytoKeys 171: 39, figures 1-2. 2021.
- Bambusa grandiaurita* (N.H.Xia et al.) D.L.Fu, sp. transl. nov. *Melocalamus grandiauritus* N.H.Xia, Q.M.Qin & J.B.Ni, Nordic J. Bot. 37(1)-e02098: 4. 2019.
- Bambusa grandis* (Q.H.Dai & X.L.Tao) D.L.Fu, sp. transl. nov. *Dendrocalamopsis grandis* Q.H.Dai & X.L.Tao, Acta Phytotax. Sin. 20: 210. 1982. *Bambusa grandis* (Q.H.Dai & X.L.Tao) Ohrnb., Bamboos of the World Intro. 4 18. 1997, nom. inval..
- Bambusa hait* (Widjaja) D.L.Fu, sp. transl. nov. *Dendrocalamus hait* Widjaja, Reinwardtia 11(2): 72. 1997.
- Bambusa hamiltonii* (Munro) D.L.Fu, sp. transl. nov. *Dendrocalamus hamiltonii* Nees & Arn. ex Munro, Trans. Linn. Soc. London 26(1): 151. 1868.
- Bambusa hanoica* D.L.Fu, sp. nom. nov. *Dendrocalamus velutinus* N.H.Xia, V.T.Nguyen & V.D.Vu, Candollea 67(2): 256. 2012, non *Bambusa velutina* (Widjaja) D.L.Fu.
- Bambusa hasskarliana* (Kurz) D.L.Fu, sp. transl. nov. *Schizostachyum hasskarlianum* Kurz in Bamboo: 68. 1876.
- Bambusa hayatae* (A.Camus) D.L.Fu, sp. transl. nov. *Oxytenanthera hayatae* A.Camus in Bull. Mus. Natl. Hist. Nat. 28: 444. 1922.
- Bambusa hirtinoda* (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa hirtinoda* Widjaja, Reinwardtia 11(2): 86. 1997.
- Bambusa holttumiana* (K.M.Wong) D.L.Fu, sp. transl. nov. *Gigantochloa holttumiana* K.M.Wong, Malaysian Forester 45(3): 346. 1982.
- Bambusa hosseusii* (Pilg.) D.L.Fu, sp. transl. nov. *Oxytenanthera hosseusii* Pilg. in Repert. Spec. Nov. Regni Veg. 3: 116. 1906.
- Bambusa jiangchengensis* D.L.Fu, sp. nom. nov. *Melocalamus scandens* Hsueh & C.M.Hui, Acta Phytotax. Sin. 30(2): 166. 1992, non *Bambusa scandens* Blume ex Nees.
- Bambusa jianshuiensis* (Hsueh & D.Z.Li) D.L.Fu, sp. transl. nov. *Dendrocalamus jianshuiensis* Hsueh & D.Z.Li, J. Bamboo Res. 7(4): 14. 1988.
- Bambusa jinghongensis* (P.Y.Wang et al.) D.L.Fu, sp. transl. nov. *Dendrocalamus jinghongensis* P.Y.Wang, Y.X.Zhang & D.Z.Li, Phytotaxa 272(3): 210. 2016.
- Bambusa kbangensis* (H.N.Nguyen & V.T.Tran) D.L.Fu, sp. transl. nov. *Melocalamus kbangensis* H.N.Nguyen & V.T.Tran, Blumea 55(2): 135 (figure 3). 2010.
- Bambusa khoonmengii* (Sungkaew et al.) D.L.Fu, sp. transl. nov. *Dendrocalamus khoonmengii* Sungkaew, Teerawat. & Hodk., Thai Forest Bull., Bot. 35: 99 (-102). 2007.
- Bambusa korbuensis* (K.M.Wong) D.L.Fu, sp. transl. nov. *Holttumochloa korbuensis* K.M.Wong, Kew Bull. 48(3): 520. 1993.
- Bambusa kuring* (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa kuring* Widjaja, Reinwardtia 11(2): 86. 1997.
- Bambusa latiphylla* D.L.Fu, sp. nom. nov. *Gigantochloa latifolia* Ridl., Fl. Malay Penins. 5: 262. 1925, non *Bambusa latifolia* Bonpl..
- Bambusa levigata* (L.C.Chia et al.) D.L.Fu, sp. transl. nov. *Monocladus levigatus* L.C.Chia, H.L.Fung & Y.L.Yang, Acta Phytotax. Sin. 26: 216. 1988. — *Bonia levigata* (L.C.Chia, H.L.Fung & Y.L.Yang) N.H.Xia, Kew Bull. 51(3): 568. 1996.
- Bambusa liboensis* (Hsueh & D.Z.Li) D.L.Fu, sp. transl. nov. *Dendrocalamus liboensis* Hsueh & D.Z.Li, J. Bamboo Res. 8(1): 37. 1989.
- Bambusa ligulata* (Gamble) D.L.Fu, sp. transl. nov. *Gigantochloa ligulata* Gamble, Ann. Roy. Bot. Gard. (Calcutta) 7: 67. 1896.
- Bambusa liliana* (S.Dransf.) D.L.Fu, sp. transl. nov. *Temnochloa liliana* S.Dransf., Thai Forest Bull., Bot. 28: 180. 2000.
- Bambusa lingshuica* D.L.Fu, sp. nom. nov. *Holttumochloa hainanensis* M.Y.Zhou & D.Z.Li, Pl. Diversity 39(3): 137. 2017, non *Bambusa hainanensis* L.C.Chia & H.L.Fung.
- Bambusa locbacensis* (H.N.Nguyen & V.T.Tran) D.L.Fu, sp. transl. nov. *Maclurochloa locbacensis* H.N.Nguyen & V.T.Tran, Ann. Bot. Fenn. 51(5): 326. 2014.
- Bambusa longiaurita* (S.H.Chen et al.) D.L.Fu, sp. transl. nov. *Dendrocalamus longiauritus* S.H.Chen, K.F.Huang & R.S.Chen, Pl. Sci. J. 31(6): 536. 2013.
- Bambusa longiligulata* (N.H.Xia & V.T.Nguyen) D.L.Fu, sp. transl. nov. *Dendrocalamus longiligulatus* N.H.Xia & V.T.Nguyen, Nordic J. Bot. 31(5): 607. 2013.
- Bambusa longiprophylla* (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa longiprophylla* Widjaja, Reinwardtia 11(2): 90. 1997.
- Bambusa longivaginata* (N.H.Xia et al.) D.L.Fu, sp. transl. nov. *Dendrocalamus longivaginatus* N.H.Xia, V.T.Nguyen & V.L.Le, Novon 23(3): 303. 2014.
- Bambusa lutea* (Damayanto & Widjaja) D.L.Fu, sp. transl. nov. *Dendrocalamus luteus* Damayanto & Widjaja, Gard. Bull. Singapore 69(1): 76. 2017.
- Bambusa luteostriata* (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa luteostriata* Widjaja, Reinwardtia 11(2): 92. 1997.
- Bambusa magentea* (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa magentea* Widjaja, Reinwardtia 11(2): 94. 1997.
- Bambusa manggong* (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa manggong* Widjaja, Reinwardtia 10(3): 365. 1987.
- Bambusa meigoma* D.L.Fu, sp. nom. nov. *Monocladus amplexicaulis* L.C.Chia, H.L.Fung & Y.L.Yang, Acta Phytotax. Sin. 26: 215. 1988, non *Bambusa amplexicaulis* W.T.Lin & Z.M.Wu.
- Bambusa membranacea* (Munro) D.L.Fu, sp. transl. nov. *Dendrocalamus membranaceus* Munro, Trans. Linn. Soc. London 26(1): 149. 1868; *Bambusa membranacea* (Munro) Stapleton & N.H.Xia in Kew Bull. 52: 238. 1997, nom. inval..
- Bambusa membranoidea* (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa membranoidea* Widjaja, Reinwardtia 11(2): 94. 1997.
- Bambusa menghanensis* (P.Y.Wang & D.Z.Li) D.L.Fu, sp. transl. nov. *Dendrocalamus menghanensis* P.Y.Wang & D.Z.Li, PhytoKeys 130: 145. 2019.

- Bambusa menglongensis* (N.H.Xia et al.) D.L.Fu, sp. transl. nov. *Dendrocalamus menglongensis* Hsueh & K.L.Wang ex N.H.Xia, R.S.Lin & Y.B.Guo, Nordic J. Bot. 28(4): 506 (-508). 2010.
- Bambusa merrilliana* (Elmer) D.L.Fu, sp. transl. nov. *Gigantochloa merrilliana* Elmer in Leafl. Philipp. Bot. 1: 273. 1908.
- Bambusa messeri* (Blatt.) D.L.Fu, sp. transl. nov. *Dendrocalamus messeri* Blatt., Indian Forester 55: 595. 1929.
- Bambusa minor* (McClure) D.L.Fu, sp. transl. nov. *Sinocalamus minor* McClure in Sunyatsenia 6: 47. 1941.
- Bambusa minutiflora* D.L.Fu, sp. nom. nov. *Oxytenanthera parviflora* Keng f., Acta Phytotax. Sin. 6: 358. 1957, non *Bambusa parviflora* (J.Presl) Schult. & Schult.f.
- Bambusa multiculmis* (A.Camus) D.L.Fu, sp. transl. nov. *Gigantochloa multiculmis* A.Camus, Bull. Soc. Bot. France 76: 769. 1929.
- Bambusa multifloscula* (H.N.Nguyen et al.) D.L.Fu, sp. transl. nov. *Gigantochloa multifloscula* H.N.Nguyen, N.H.Xia & V.T.Tran, Adansonia 34(1): 56. 2012.
- Bambusa multiradicans* (N.H.Xia & Y.Zeng) D.L.Fu, sp. transl. nov. *Gigantochloa multiradicans* N.H.Xia & Y.Zeng in Y.Zeng, Taxon. Studies Gigantochloa China: 39. 2014.
- Bambusa naithanii* D.L.Fu, sp. nom. nov. *Dendrocalamus manipureanus* H.B.Naithani & N.S.Bisht, Indian Forester 136(2): 262 (264-265). 2010, non *Bambusa manipureana* H.B.Naithani & N.S.Bisht.
- Bambusa nebulosa* (K.M.Wong) D.L.Fu, sp. transl. nov. *Kinabaluchloa nebulosa* K.M.Wong, Kew Bull. 48(3): 526. 1993.
- Bambusa nianhei* (V.T.Nguyen & V.L.Le) D.L.Fu, sp. transl. nov. *Dendrocalamus nianhei* V.T.Nguyen & V.L.Le, Ann. Bot. Fenn. 49(5-6): 428. 2012.
- Bambusa ningmingensis* Ohrnb. ex D.L.Fu, sp. nom. nov. *Melocalamus gracilis* W.T.Lin in J. S. China Agric. Univ. 14(3): 110. 1993, non *Bambusa gracilis* Wall..
- Bambusa nuda* (Pilg.) D.L.Fu, sp. transl. nov. *Dendrocalamus nudus* Pilg., Repert. Spec. Nov. Regni Veg. 3: 117. 1906.
- Bambusa oliveri* (Gamble) D.L.Fu, sp. transl. nov. *Thrysostachys oliveri* Gamble, Ann. Roy. Bot. Gard. (Calcutta) 7: 58. 1897.
- Bambusa pachyclada* (Hsueh et al.) D.L.Fu, sp. transl. nov. *Dendrocalamus pachycladus* Hsueh, D.Z.Li & C.M.Hui, in C.M.Hui & al. (eds., Res. Bamboos Nujiang: 34. 1994.
- Bambusa pachyparietalis* (N.H.Xia & Y.Zeng) D.L.Fu, sp. transl. nov. *Gigantochloa pachyparietalis* N.H.Xia & Y.Zeng in Y.Zeng, Taxon. Studies Gigantochloa China: 40. 2014.
- Bambusa pachystachya* (Hsueh & D.Z.Li) D.L.Fu, sp. transl. nov. *Dendrocalamus pachystachyus* Hsueh & D.Z.Li, J. Bamboo Res. 8(1): 25. 1989.
- Bambusa pacoensis* (H.N.Nguyen & V.T.Tran) D.L.Fu, sp. transl. nov. *Melocalamus pacoensis* H.N.Nguyen & V.T.Tran, Blumea 55(2): 135 (figure 4). 2010.
- Bambusa papillata* (Q.H.Dai) D.L.Fu, sp. transl. nov.
- Lingnania papillata* Q.H.Dai, Acta Phytotax. Sin. 20: 213. 1982.
- Bambusa papyracea* (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa papyracea* Widjaja, Reinwardtia 11(2): 96. 1997.
- Bambusa parishii* (Munro) D.L.Fu, sp. transl. nov. *Dendrocalamus parishii* Munro, Trans. Linn. Soc. London 26(1): 149. 1868.
- Bambusa parvifloscula* (W.T.Lin) D.L.Fu, sp. transl. nov. *Monocladus parviflosculus* W.T.Lin in J. Bamboo Res. 12(3): 3. 1993.
- Bambusa parvigemma* (N.H.Xia et al.) D.L.Fu, sp. transl. nov. *Dendrocalamus parvigemma* N.H.Xia, V.T.Nguyen & V.L.Le, Nordic J. Bot. 29(2): 221 (-223). 2011.
- Bambusa parviphylla* D.L.Fu, sp. nom. nov. *Oxytenanthera parvifolia* Brandis ex Gamble in Ann. Roy. Bot. Gard. (Calcutta) 7: 72. 1896, non *Bambusa parvifolia* W.T.Lin.
- Bambusa peculiaris* (Hsueh & D.Z.Li) D.L.Fu, sp. transl. nov. *Dendrocalamus peculiaris* Hsueh & D.Z.Li, J. Bamboo Res. 8(1): 32. 1989.
- Bambusa pendula* (Ridl.) D.L.Fu, sp. transl. nov. *Dendrocalamus pendulus* Ridl., J. Straits Branch Roy. Asiat. Soc. 44: 210. 1905.
- Bambusa persistens* D.L.Fu, sp. nom. nov. *Gigantochloa ridleyi* Holttum, Gard. Bull. Singapore 15: 275. 1956, non *Bambusa ridleyi* Gamble.
- Bambusa phuthoensis* (H.N.Nguyen et al.) D.L.Fu, sp. transl. nov. *Dendrocalamus phuthoensis* H.N.Nguyen, V.T.Nguyen & V.L.Le, Phytotaxa 296(3): 275. 2017.
- Bambusa poilanei* (A.Camus) D.L.Fu, sp. transl. nov. *Oxytenanthera poilanei* A.Camus in Bull. Mus. Natl. Hist. Nat. 27: 455. 1921.
- Bambusa prainii* (Gamble) D.L.Fu, sp. transl. nov. *Microcalamus prainii* Gamble in J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 59: t. 7. 1890. — *Neomicrocalamus prainii* (Gamble) Keng f., J. Bamboo Res. 2(2): 10. 1983.
- Bambusa pruriens* (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa pruriens* Widjaja, Reinwardtia 10(3): 369. 1987.
- Bambusa pseudobambos* D.L.Fu, sp. nom. nov. *Melocalamus indicus* R.B.Majumdar, Bull. Bot. Surv. India 25(1-4): 236. 1985, non *Bambusa indica* André
- Bambusa pseudopoilanei* D.L.Fu, sp. nom. nov. *Dendrocalamus poilanei* A.Camus, Bull. Mus. Natl. Hist. Nat. 31: 205. 1925, non *Bambusa poilanei* (A.Camus) D.L.Fu.
- Bambusa pubinervis* (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa pubinervis* Widjaja, Reinwardtia 11(2): 98. 1997.
- Bambusa pubipetiolata* (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa pubipetiolata* Widjaja, Reinwardtia 11(2): 100. 1997.
- Bambusa pulverulenta* (L.C.Chia & But) D.L.Fu, sp. transl. nov. *Dendrocalamus pulverulentus* L.C.Chia & But, Kew Bull. 43(1): 115. 1988.
- Bambusa pusilla* (A.Chev. & A.Camus) D.L.Fu, sp. transl. nov. *Arundinaria pusilla* A.Chev. & A.Camus in Bull. Mus.

- Natl. Hist. Nat. 25: 450. 1919.
- Bambusa rectocuneata* (W.T.Lin) D.L.Fu, sp. transl. nov.
Neosinocalamus rectocuneatus W.T.Lin, Acta Phytotax. Sin. 26: 228. 1988, as 'recto-cuneatus'; *Bambusa rectocuneata* (W.T.Lin) N.H.Xia, R.S.Lin & R.H.Wang, J. Trop. Subtrop. Bot. 17: 352. 2009, nom. inval..
- Bambusa remotiflora* (Kuntze) D.L.Fu, sp. transl. nov.
Arundarbor remotiflora Kuntze in Revis. Gen. Pl. 2: 760. 1891; *Bambusa remotiflora* (Kuntze) L.C.Chia & H.L.Fung, Acta Phytotax. Sin. 18(2): 214. 1980, nom. inval..
- Bambusa robusta* (Kurz) D.L.Fu, sp. transl. nov. *Gigantochloa robusta* Kurz, Indian Forester 1: 354. 1876.
- Bambusa rongchengensis* (T.P.Yi & C.Y.Sia) D.L.Fu, sp. transl. nov. *Dendrocalamus rongchengensis* T.P.Yi & C.Y.Sia in J. Bamboo Res. 7(4): 20. 1988; *Bambusa rongchengensis* (T.P.Yi & C.Y.Sia) D.Z.Li, Acta Bot. Yunnan. 16(1): 41. 1994, nom. inval..
- Bambusa rostrata* (K.M.Wong) D.L.Fu, sp. transl. nov. *Gigantochloa rostrata* K.M.Wong, Malaysian Forester 45(3): 349. 1982.
- Bambusa rugata* (W.T.Lin) D.L.Fu, sp. transl. nov. *Lingnania rugata* W.T.Lin in J. Bamboo Res. 12(3): 2. 1993; *Bambusa rugata* (W.T.Lin) Ohrnb., Bamboos of the World Intro. 4 19. 1997, nom. inval..
- Bambusa sahnii* (H.B.Naithani & Bahadur) D.L.Fu, sp. transl. nov. *Dendrocalamus sahnii* H.B.Naithani & Bahadur, Indian Forester 108(3): 212. 1982.
- Bambusa saxatilis* (L.C.Chia et al.) D.L.Fu, sp. transl. nov. *Monocladus saxatilis* L.C.Chia, H.L.Fung & Y.L.Yang, Acta Phytotax. Sin. 26: 213. 1988.
- Bambusa scorchedinii* (Gamble) D.L.Fu, sp. transl. nov. *Gigantochloa scorchedinii* Gamble, Ann. Roy. Bot. Gard. (Calcutta) 7: 62. 1896.
- Bambusa sericea* (Munro) D.L.Fu, sp. transl. nov. *Dendrocalamus sericeus* Munro, Trans. Linn. Soc. London 26(1): 148. 1868.
- Bambusa serik* (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa serik* Widjaja, Reinwardtia 11(2): 102. 1997.
- Bambusa sesquiflora* (McClure) D.L.Fu, sp. transl. nov. *Lingnania sesquiflora* McClure in J. Arnold Arbor. 23: 99. 1942; *Bambusa sesquiflora* (McClure) L.C.Chia & H.L.Fung, Acta Phytotax. Sin. 18(2): 214. 1980, nom. inval..
- Bambusa sikkimensis* (Oliv.) D.L.Fu, sp. transl. nov. *Dendrocalamus sikkimensis* Gamble ex Oliv., Hooker's Icon. Pl. 18: t. 1770. 1888.
- Bambusa sinica* (L.C.Chia & J.L.Sun) D.L.Fu, sp. transl. nov. *Dendrocalamus sinicus* L.C.Chia & J.L.Sun, J. Bamboo Res. (1): 10. 1982.
- Bambusa sinuata* (Gamble) D.L.Fu, sp. transl. nov. *Oxytenanthera sinuata* Gamble in Ann. Roy. Bot. Gard. (Calcutta) 7: 71. 1896.
- Bambusa somdevae* (H.B.Naithani) D.L.Fu, sp. transl. nov. *Dendrocalamus somdevae* H.B.Naithani, Indian Forester 119(6): 504. 1993.
- Bambusa speciosa* (Sungkaew & Teerawat.) D.L.Fu, sp. transl. nov. *Phuphanochloa speciosa* Sungkaew & Teerawat., Kew Bull. 63(4): 671 (-673). 2009.
- Bambusa stenoaurita* (W.T.Lin) D.L.Fu, sp. transl. nov. *Sinocalamus stenoauritus* W.T.Lin in Bull. Bot. Lab. N. E. Forest Inst., Harbin 1980(6): 89. 1980; *Bambusa stenoaurita* (W.T.Lin) T.H.Wen, J. Bamboo Res. 10(1): 22. 1991, nom. inval..
- Bambusa suberosa* (W.T.Lin & Z.M.Wu) D.L.Fu, sp. transl. nov. *Sinocalamus suberosus* W.T.Lin & Z.M.Wu in J. S. China Agric. Univ. 13(2): 83. 1992.
- Bambusa surrecta* (Q.H.Dai) D.L.Fu, sp. transl. nov. *Lingnania surrecta* Q.H.Dai, Acta Phytotax. Sin. 20: 213. 1982; *Bambusa surrecta* (Q.H.Dai) Q.H.Dai, Fl. Reipubl. Popularis Sin. 9(1): 119. 1996, nom. inval.; *Bambusa surrecta* (Q.H.Dai) Ohrnb., Bamboos of the World Intro. 4 19. 1997, nom. inval..
- Bambusa taybacensis* (N.H.Xia et al.) D.L.Fu, sp. transl. nov. *Dendrocalamus taybacensis* N.H.Xia, V.T.Nguyen & V.L.Le, Blumea 57(3): 259. 2013.
- Bambusa tenuispiculata* (A.Camus) D.L.Fu, sp. transl. nov. *Oxytenanthera tenuispiculata* A.Camus in H.Lecomte, Fl. Indo-Chine 7: 621. 1923.
- Bambusa thoi* (K.M.Wong) D.L.Fu, sp. transl. nov. *Gigantochloa thoi* K.M.Wong, Sandakania 1: 18. 1992.
- Bambusa tibetica* (Hsueh f. & T.P.Yi) D.L.Fu, sp. transl. nov. *Dendrocalamus tibeticus* Hsueh & T.P.Yi, J. Bamboo Res. 2(1): 31. 1983.
- Bambusa tonkica* D.L.Fu, sp. nom. nov. *Maclurochloa tonkinensis* H.N.Nguyen & V.T.Tran, Nordic J. Bot. 31(2): 157. 2013, non *Bambusa tonkinensis* Baill..
- Bambusa trianginhensis* (H.N.Nguyen & V.T.Tran) D.L.Fu, sp. transl. nov. *Maclurochloa trianginhensis* H.N.Nguyen & V.T.Tran, Nordic J. Bot. 37(5)-e02318: 3. 2019.
- Bambusa transvenula* (W.T.Lin & Z.J.Feng) D.L.Fu, sp. transl. nov. *Lingnania transvenula* W.T.Lin & Z.J.Feng in J. S. China Agric. Univ. 13(2): 82. 1992; *Bambusa transvenula* (W.T.Lin & Z.J.Feng) N.H.Xia, J. Trop. Subtrop. Bot. 17(4): 351. 2009, nom. inval..
- Bambusa trirama* (W.T.Lin & Z.M.Wu) D.L.Fu, sp. transl. nov. *Sinocalamus triramus* W.T.Lin & Z.M.Wu in J. S. China Agric. Univ. 15(2): 78. 1994.
- Bambusa truongsonensis* (H.N.Nguyen & V.T.Tran) D.L.Fu, sp. transl. nov. *Melocalamus truongsonensis* H.N.Nguyen & V.T.Tran, Blumea 55(2): 135 (-138). 2010.
- Bambusa tsiangii* (McClure) D.L.Fu, sp. transl. nov. *Lingnania tsiangii* McClure in Sunyatsenia 6: 41. 1941.
- Bambusa valida* (Q.H.Dai) D.L.Fu, sp. transl. nov. *Dendrocalamopsis validus* Q.H.Dai, Acta Phytotax. Sin. 24: 393. 1986; *Bambusa valida* (Q.H.Dai) W.T.Lin, Guihaia 10: 15. 1990, nom. inval.; *Bambusa valida* (Q.H.Dai) Ohrnb., Bamboos of the World Intro. 4 19. 1997, nom. inval..
- Bambusa variostriata* (W.T.Lin) D.L.Fu, sp. transl. nov. *Sinocalamus variostriatus* W.T.Lin, Acta Phytotax. Sin. 16(1): 66. 1978; *Bambusa variostriata* (W.T.Lin) L.C.Chia

& H.L.Fung, Acta Phytotax. Sin. 18(2): 215. 1980, nom. inval..

Bambusa velutina (Widjaja) D.L.Fu, sp. transl. nov. *Gigantochloa velutina* Widjaja, Reinwardtia 11(2): 106. 1997.

Bambusa vietnamica (T.Q.Nguyen) D.L.Fu, sp. transl. nov. *Gigantochloa vietnamica* T.Q.Nguyen, Bot. Zhurn. (Moscow & Leningrad) 72(6): 829. 1987.

Bambusa vinhphuica (T.Q.Nguyen) D.L.Fu, sp. transl. nov. *Gigantochloa vinhphuica* T.Q.Nguyen, Bot. Zhurn. (Moscow & Leningrad) 72(6): 830. 1987.

Bambusa wabo (E.G.Camus) D.L.Fu, sp. transl. nov. *Dendrocalamus wabo* E.G.Camus, Les Bambusees 154. 1913.

Bambusa wenchouensis (T.H.Wen) D.L.Fu, sp. transl. nov. *Lingnania wenchouensis* T.H.Wen in J. Bamboo Res. 1(1): 32. 1982; *Bambusa wenchouensis* (T.H.Wen) Keng f. ex Q.F.Zheng & Y.M.Lin, Fl. Fujianica 6: 45. 1995, nom. inval.; *Bambusa wenchouensis* (T.H.Wen) Q.H.Dai, Fl. Reipubl. Popularis Sin. 9(1): 117. 1996, nom. inval.; *Bambusa wenchouensis* (T.H.Wen) Ohrnb., Bamboos of the World Intro. 4 19. 1997, nom. inval..

Bambusa weni D.L.Fu, sp. nom. nov. *Racemobambos yunnanensis* T.H.Wen in J. Bamboo Res. 5(2): 11. 1986, non *Bambusa yunnanensis* N.H.Xia.

Bambusa widjajana D.L.Fu, sp. nom. nov. *Gigantochloa tomentosa* Widjaja, Reinwardtia 11(2): 104. 1997, non *Bambusa tomentosa* (Hack. & Lindm.) McClure.

Bambusa wongana D.L.Fu, sp. nom. nov. *Holttumochloa pubescens* K.M.Wong, Kew Bull. 48(3): 523. 1993, non *Bambusa pubescens* Lodd. ex Lindl..

Bambusa xiana D.L.Fu, sp. nom. nov. *Dendrocalamus multiflosculus* H.N.Nguyen, N.H.Xia & V.T.Nguyen, Blumea 57(3): 259. 2013, non *Bambusa multifloscula* (H.N.Nguyen et al.) D.L.Fu.

Bambusa xishuangbannaensis (D.Z.Li & H.Q.Yang) D.L.Fu, sp. transl. nov. *Dendrocalamus xishuangbannaensis* D.Z.Li & H.Q.Yang, Ann. Bot. Fenn. 46(6): 574 (-576). 2009.

Bambusa xueana Ohrnb. ex D.L.Fu, sp. nom. nov. *Neosinocalamus yunnanensis* Hsueh & Hsueh f., Acta Phytotax. Sin. 29: 274. 1991, non *Bambusa yunnanensis* N.H.Xia, nom. nov.; *Bambusa xueana* Ohrnb., Bamboos World Intro. 4: 19. 1997, nom. inval..

Bambusa yenbaiensis (H.N.Nguyen & V.T.Tran) D.L.Fu, sp. transl. nov. *Melocalamus yenbaiensis* H.N.Nguyen & V.T.Tran, Blumea 55(2): 138 (figure 6). 2010.

Bambusa yingjiangensis (D.Z.Li & H.Q.Yang) D.L.Fu, sp. transl. nov. *Dendrocalamus yingjiangensis* D.Z.Li & H.Q.Yang, Ann. Bot. Fenn. 52(3-4): 262. 2015.

Bambusa yunnanica (Hsueh & D.Z.Li) D.L.Fu, sp. transl. nov. *Dendrocalamus yunnanicus* Hsueh & D.Z.Li, et in J. Bamboo Res. 7(4): 17. 1988.

Bambusa zengi D.L.Fu, sp. nom. nov. *Gigantochloa striata* N.H.Xia & Y.Zeng in Y.Zeng, Taxon. Studies Gigantochloa China: 43. 2014, non *Bambusa striata* Lodd. ex Lindl.

Dinochloa acutiflora (Munro) D.L.Fu, sp. transl. nov. *Schizostachyum acutiflorum* Munro in Trans. Linn. Soc.

London 26: 137. 1868.

Dinochloa amahussana (Lindl.) D.L.Fu, sp. transl. nov.

Bambusa amahussana Lindl. in Penny Cyclop. 3: 357. 1835.

Dinochloa atra (Lindl.) D.L.Fu, sp. transl. nov. *Bambusa atra* Lindl. in Penny Cyclop. 3: 357. 1835.

Dinochloa fenixii (Gamble) D.L.Fu, sp. transl. nov. *Schizostachyum fenixii* Gamble in Philipp. J. Sci., C 6: 299. 1913.

Dinochloa hirta D.L.Fu, sp. nom. nov. *Sphaerobambos hirsuta* S.Dransf., Kew Bull. 44(3): 428. 1989, non *Dinochloa hirsuta* S.Dransf..

Dinochloa hispida D.L.Fu, sp. nom. nov. *Cyrtochloa hirsuta* S.Dransf., Kew Bull. 53(4): 869. 1998, non *Dinochloa hirsuta* S.Dransf..

Dinochloa holttumi D.L.Fu, sp. nom. nov. *Bambusa hirsuta* Holttum in Kew Bull. 21: 271. 1967, non *Dinochloa hirsuta* S.Dransf.

Dinochloa inaurita (Widjaja) D.L.Fu, sp. transl. nov. *Neololeba inaurita* Widjaja, Reinwardtia 11(2): 119. 1997.

Dinochloa luzonica (Gamble) D.L.Fu, sp. transl. nov. *Schizostachyum luzonicum* Gamble in Philipp. J. Sci., C 5: 277. 1910.

Dinochloa mindoroensis (S.Dransf.) D.L.Fu, sp. transl. nov. *Cyrtochloa mindoroensis* S.Dransf., Kew Bull. 58(4): 981. 2004.

Dinochloa palawanensis (Gamble) D.L.Fu, sp. transl. nov. *Schizostachyum palawanense* Gamble in Philipp. J. Sci., C 5: 274. 1910.

Dinochloa philippinensis (Gamble) D.L.Fu, sp. transl. nov. *Guadua philippinensis* Gamble in Philipp. J. Sci., C 8: 203. 1913.

Dinochloa puser (S.Dransf.) D.L.Fu, sp. transl. nov. *Cyrtochloa puser* S.Dransf., Kew Bull. 53(4): 867. 1998.

Dinochloa subtilis (S.Dransf.) D.L.Fu, sp. transl. nov. *Sphaerobambos subtilis* S.Dransf., Kew Bull. 44(3): 432. 1989.

Dinochloa toppingii (Gamble) D.L.Fu, sp. transl. nov. *Schizostachyum toppingii* Gamble in Philipp. J. Sci., C 5: 276. 1910; — *Cyrtochloa toppingii* (Gamble) S.Dransf., Kew Bull. 53(4): 862. 1998.

Dinochloa widjajana D.L.Fu, sp. nom. nov. *Neololeba glabra* Widjaja, Reinwardtia 11(2): 116. 1997, non *Dinochloa glabra* Widjaja & Ervianti.

Guadua acuminata (Munro) D.L.Fu, sp. transl. nov. *Arundinaria acuminata* Munro in Trans. Linn. Soc. London 26: 25. 1868. — *Otatea acuminata* (Munro) C.E.Calderón & Soderstr., Smithsonian Contr. Bot. 44: 21. 1980.

Guadua amazonica (Londoño) D.L.Fu, sp. transl. nov. *Eremocaulon amazonicum* Londoño, Syst. Bot. 27(4): 716 (-719). 2002.

Guadua asymmetrica (Soderstr. & Londoño) D.L.Fu, sp. transl. nov. *Criciuma asymmetrica* Soderstr. & Londoño, Amer. J. Bot. 74: 35. 1987.

Guadua aureofimbriata (Soderstr. & Londoño) D.L.Fu, sp. transl. nov. *Eremocaulon aureofimbriatum* Soderstr. &

Londoño, Amer. J. Bot. 74: 37. 1987.

Guadua carilloi (Ruiz-Sánchez) D.L.Fu, sp. transl. nov.
Otatea carilloi Ruiz-Sánchez, Sosa & Mejía-Saulés, Syst. Bot. 36(2): 324. 2011.

Guadua clarkiae (Davidse & R.W.Pohl) D.L.Fu, sp. transl. nov. *Aulonemia clarkiae* Davidse & R.W.Pohl in Novon 2: 84. 1992.

Guadua colombiana (Ruiz-Sánchez & Londoño) D.L.Fu, sp. transl. nov. *Otatea colombiana* Ruiz-Sánchez & Londoño, Syst. Bot. 42(4): 818. 2017.

Guadua fimbriata (Soderstr.) D.L.Fu, sp. transl. nov. *Otatea fimbriata* Soderstr. in McVaugh, Fl. Novo-Galicianae 14: 280, figure 1983.

Guadua fulgor (Soderstr.) D.L.Fu, sp. transl. nov. *Aulonemia fulgor* Soderstr. in Brittonia 40: 22. 1988.

Guadua glauca (L.G.Clark & G.Cortés) D.L.Fu, sp. transl. nov. *Otatea glauca* L.G.Clark & G.Cortés, J. Amer. Bamboo Soc. 18: 3 (1-6). 2004.

Guadua nayeeri (Ruiz-Sánchez) D.L.Fu, sp. transl. nov. *Otatea nayeeri* Ruiz-Sánchez, Phytotaxa 267(3): 213. 2016.

Guadua odam (Ruiz-Sánchez & Art.Castro) D.L.Fu, sp. transl. nov. *Otatea odam* Ruiz-Sánchez & Art.Castro, Taxon 70(4): 752. 2021.

Guadua ramirezzii (Ruiz-Sánchez) D.L.Fu, sp. transl. nov. *Otatea ramirezzii* Ruiz-Sánchez, Acta Bot. Mex. 99: 25, figure 1. 2012.

Guadua recta (Soderstr.) D.L.Fu, sp. transl. nov. *Olmeca recta* Soderstr., Phytologia 51: 161. 1982.

Guadua reflexa (Soderstr.) D.L.Fu, sp. transl. nov. *Olmeca reflexa* Soderstr., Phytologia 51: 161. 1982.

Guadua reynosoana (Ruiz-Sánchez & L.G.Clark) D.L.Fu, sp. transl. nov. *Otatea reynosoana* Ruiz-Sánchez & L.G.Clark, Syst. Bot. 36(2): 328 (330). 2011.

Guadua rzedowskiorum (Ruiz-Sánchez) D.L.Fu, sp. transl. nov. *Otatea rzedowskiorum* Ruiz-Sánchez, Molec. Phylogen. Evol. 93: 265. 2015.

Guadua simplex (McClure & L.B.Sm) D.L.Fu, sp. transl. nov. *Apocladia simplex* McClure & L.B.Sm. in Reitz, Fl. Ilustr. Catarin. I, fasc. Gram-Supl.: 59. 1967.

Guadua transvolcanica (Ruiz-Sánchez & L.G.Clark) D.L.Fu, sp. transl. nov. *Otatea transvolcanica* Ruiz-Sánchez & L.G.Clark, Syst. Bot. 36(2): 330. 2011.

Guadua triramis (C.Jesus-Costa & Londoño) D.L.Fu, sp. transl. nov. *Eremocaulon triramis* C.Jesus-Costa & Londoño, Phytotaxa 375(1): 105. 2018.

Guadua victoriae (Ruiz-Sánchez) D.L.Fu, sp. transl. nov. *Otatea victoriae* Ruiz-Sánchez, Molec. Phylogen. Evol. 93: 267. 2015.

Guadua ximeneae (Ruiz-Sánchez & L.G.Clark) D.L.Fu, sp. transl. nov. *Otatea ximeneae* Ruiz-Sánchez & L.G.Clark, Syst. Bot. 36(2): 330 (332). 2011.

Guadua zapotecorum (Ruiz-Sánchez) D.L.Fu, sp. transl. nov. *Olmeca zapotecorum* Ruiz-Sánchez, Sosa & Mejía-Saulés, Taxon 60(1): 93 (-96). 2011.

5. Conclusion

The unscientific use of taxonomic characters in Bambusaceae Burnett can result in the taxonomic confusion regarding the classification of genera. By applying the minimum criterion for the genus classification by CPCG of Fructophyta D.L.Fu & H.Fu, a crucial scientific instrument, we can effectively mitigate the subjectivity and partiality of traditional taxonomy and modern phylogeny. This will allow us to scientifically identify the genus synonyms and refine the groundwork for researching the evolutionary system within the family.

Abbreviations

CPCG: Chloroplast Complete Genomes

PHL: Phylogenetic Loci

PHS: Phylogenetic Similarity

Author Contributions

Da-Li Fu is the sole author. The author read and approved the final manuscript.

Conflicts of Interest

The author declares no conflicts of interest.

References

- [1] Fu, D. L., Fu, H. New Names and New Combinations of *Phyllostachys* Sieb. & Zucc. (Bambusaceae) Amer. J. Agric. Forest. 2024, 12(2), 87-106.
<https://doi.org/10.11648/j.ajaf.20241202.14>
- [2] AASE (Agendae Academiae Sinicae Edita). Flora Reipublicae Popularis Sinicae. Beijing: Science Press; 1996, vol. 9(1), pp. 4-704.
- [3] BPG (Bamboo Phylogeny Group). An updated tribal and subtribal classification of the bamboos (Poaceae: Bambusoideae). J. Amer. Bamboo Soc. 2012, 24, 1–10.
- [4] Li, D. Z., Wang, Z. P., Zhu, Z. D., Xia, N. H., Jia, L. Z., Guo, Z. H., Yang, G. Y., Stapleton, C. Bambuseae. In: Wu Z-Y, Raven PH, Hong D-Y eds. Flora of China. Beijing: Science Press; St. Louis: Missouri Botanical Garden Press. 2006, 22, 7–181.
- [5] Soreng, R. J., Peterson, P. M., Romaschenko, K., Davidse, G., Zuloaga, F. O., Judziewicz, E. J., Filgueiras, T. S., Davis, J. I., Morrone, O. A worldwide phylogenetic classification of the Poaceae (Gramineae). J. Syst. Evol. 2015, 53, 117-137.
<https://doi.org/10.1111/jse.12150>
- [6] Soreng, R. J., Peterson, P. M., Romaschenko, K., Davidse, G., Teisher, J. K., Clark, L. G., Barbera, P., Gillespie, L. J., Zuloaga, F. O. A worldwide phylogenetic classification of the Poaceae (Gramineae) II: an update and comparison of two 2015 classifications. J. Syst. Evol. 2017, 55, 259-290.

- [7] Soreng, R. J., Peterson, P. M., Zuloaga, F. O., Ramoschenko K, Clark, L. G., Teisher, J. K., Gillespie, L. J., Barbera, P., Welker, C. A. D., Kellogg, E. A., Li, D. Z., Davidse, G. A worldwide phylogenetic classification of the Poaceae (Gramineae) III: An update. *J. Syst. Evol.* 2022, 60(3), 476–521.
- [8] Wang, C. P., Yu, Z. H., Ye, G. H., Chu, Z. D., Chao, C. S., Chen, S. Y., Yao, C. Y., Zhao, H. R. A taxonomical study of *Phyllostachys*, China. *Acta Phytotax. Sin.* 1980, 18, 15–19.
- [9] Sungkaew, S., Teerawatananon, A., Parnell, J. A. N., Stapleton, C., Hodgkinson, T. R. *Phuphanochloa*, a new bamboo genus (Poaceae: Bambusoideae) from Thailand. *Kew Bull.* 2008, 63(4), 669-673. <https://doi.org/10.1007/s12225-008-9071-5>
- [10] Nguyễn, T. Q. New taxa of bamboos (Poaceae, Bambusoideae) from Vietnam. *Bot. Zhurn. (Moscow & Leningrad)* 1990, 75(2), 221–225.
- [11] Haevermans, T., Nguyen, B. L., Gurgand, J., Haevermans A., Dransfield, Diep, S. M. Clearing up *Vietnamosasa* (Poaceae, Bambusoideae): typification and nomenclature of a distinctive paleotropical bamboo genus. *Phytotaxa* 2013, 137(1), 57–60.
- [12] Wong, K. M. Four New Genera of Bamboos (Gramineae: Bambusoideae) from Malesia. *Kew Bull.* 1993, 48(3), 517-532. <https://doi.org/10.2307/4118719>
- [13] Zhou, M. Y., Liu, J. X., Liang, Y. W., Li D. Z. Distribution of *Holttumochloa* (Poaceae: Bambusoideae) in China with description of a new species revealed by morphological and molecular evidence. *Plant Diversity* 2017, 39, 135-139.
- [14] Dransfield, S. 1981. The genus *Dinochloa* (Graminea-Bambusoideae) in Sabah. *Kew Bull.* 36: 613–633. <https://doi.org/10.2307/4117593>
- [15] Dransfield, S. *Sphaerobambos*, a new genus of bamboo (Gramineae–Bambusoideae) from Malesia. *Kew Bull.* 1989, 44: 425–434.
- [16] Widjaja, E. A. New taxa in indonesian bamboos. *Reinwardtia* 1997, 11, 57-152.
- [17] Dransfield, S. *Cyrtochloa*, a new genus of bamboo (Gramineae–Bambusoideae) from the Philippines. *Kew Bull.* 1998, 53: 857–873.
- [18] Zhou, M. Y., Zhang, Y. X., Thomas, H., Li, D. Z. Towards a complete generic-level plastid phylogeny of the paleotropical woody bamboos (Poaceae: Bambusoideae). *Taxon* 2017, 66(3), 539–553. <https://doi.org/10.12705/663.2>
- [19] Sungkaew, S., Stapleton C. M. A., Salamin, N., Hodgkinson, T. R. Nonmonophyly of the woody bamboos (Bambuseae; Poaceae): a multi-gene region phylogenetic analysis of Bambusoideae s.s. *J. Plant Res.* 2009, 122, 95–108. <https://doi.org/10.1007/s10265-008-0192-6>
- [20] Goh, W. L., Chandran, S., Franklin, D. C., Isagi, Y., Koshy, K. C., Sungkaew, S. Yang, H. Q., Xia, N. H., Wong, K. M. Multi-gene region phylogenetic analyses suggest reticulate evolution and a clade of Australian origin among paleotropical woody bamboos (Poaceae: Bambusoideae: Bambuseae). *Plant Syst. Evol.* 2013, 299, 239-257. <https://doi.org/10.1007/s00606-012-0718-1>.
- [21] Darwin, C. R. 1859. The Origin of species. Available from: <http://www.talkorigins.org/faqs/origin.html>
- [22] Judd, W. S., Campbell, C. S., Kellogg, E. A., Stevens, P. F., Donoghue, M. J. (in Chinese translated by Li D-Z). *Plant systematic, A phylogenetic approach*. Beijing: Higher Education Press; 2012, pp. 1-496.
- [23] Fu, D. L., Fu, H. An evolutionary continuity principle for evolutionary system of organism divisions. *Amer. J. Agric. Forest.* 2018, 6(3), 25-29. <https://doi.org/10.11648/j.ajaf.20180603.14>
- [24] Fu, D. L. An evolutionary particularity principle for evolutionary system of classes of Fructophyta. *Amer. J. Agric. Forest.* 2019, 7(5): 191-199. <https://doi.org/10.11648/j.ajaf.20190705.15>
- [25] Fu, D. L. The theory and practice of evolutionomy. Beijing: China Forestry Publishing House; 2020, 1-158.
- [26] Fu, D. L., Fu, H., Qin, Y., Zhou, D. S., Duan, R. M. Analyses of chloroplast genomic and morphological evolutionomy of *Yulania* subsect. *Cylindrica* (Magnoliaceae). *Amer. J. Agric. Forest.* 2019, 7(5), 200-211. <https://doi.org/10.11648/j.ajaf.20190705.16>
- [27] Fu, D. L., Fu, H., Duan, R. M., Qin, Y. Evolutionary System of Magnoliaceae Based on Chloroplast Genomic and Morphological Evolutionomy. *Amer. J. Agric. Forest.* 2024, 12(1), 22-50. <https://doi.org/10.11648/j.ajaf.20241201.14>
- [28] Tyrrell, C. D., Londoño, X., Prieto, R. O., Attigala, L., McDonald, K., Clark, L. G. Molecular phylogeny and cryptic morphology reveal a new genus of West Indian woody bamboo (Poaceae: Bambusoideae: Bambuseae) hidden by convergent character evolution. *Taxon* 2018, 67(5), 916–930. <https://doi.org/10.12705/675.5>
- [29] Soderstrom, T. R. *Olmeca*, A New Genus of Mexican Bamboos with Fleshy Fruits. *Amer. J. Bot.* 1981, 68(10): 1361-1373. <https://doi.org/10.1002/j.1537-2197.1981.tb07847.x>
- [30] Soderstrom, T. R., Londoño. Two New Genera of Brazilian Bamboos Related to *Guadua* (Poaceae: Bambusoideae: Bambuseae). *Amer. J. Bot.* 1987, 74(1): 27-39. <https://doi.org/10.1002/j.1537-2197.1987.tb08576.x>